

Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/03/2017 Printing date 06/03/2017 1 Identification · Product identifier · Trade name: Meliodent Orthodontic Liquid · Application of the substance / the mixture Manufacture of dental prothesis · Details of the supplier of the safety data sheet Manufacturer/Supplier: Kulzer GmbH Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522 Information department: Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com • Emergency telephone number: Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500 2 Hazard(s) identification · Classification of the substance or mixture Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour. Skin Irritation - Category 2 H315 Causes skin irritation. Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction. Specific Target Organ Toxicity - Single Exposure -H335 May cause respiratory irritation. Category 3 · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labeling: methyl methacrylate tetramethylene dimethacrylate 2-(2H-Benzotriazol-2-yl)-4-methylphenol · Hazard statements Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation. · Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. (Contd. on page 2) CDN




Page 2/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Meliodent Orthodontic Liquid



## 4 First-aid measures

· Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of complaints.

· After skin contact immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Page 3/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

## Trade name: Meliodent Orthodontic Liquid

· After eye contact

(Contd. of page 2)

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing
- Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- Composition based on methacrylates
- · Information for doctor
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
  - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
     For safety reasons unsuitable extinguishing agents
  - Water.
  - Water with full jet.
- Special hazards arising from the substance or mixture
- Can form explosive gas-air mixtures.
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
  - · Protective equipment: No special measures required.
- · Additional information -

## 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

**Methods and material for containment and cleaning up:** Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues). Do not flush with water or aqueous cleansing agents

Reference to other sections
 No dangerous substances are released.
 See Section 8 for information on personal protection equipment.

## 7 Handling and storage

· Handling

- · Precautions for safe handling Keep receptacles tightly sealed.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

(Contd. on page 4)



Page 4/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Meliodent Orthodontic Liquid

(Contd. of page 3)

Conditions for safe storage, including any incompatibilities
 Storage

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep cool, if possible (not above 25 °C).

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

### 80-62-6 methyl methacrylate

EL () Short-term value: 125 ppm

Long-term value: 50 ppm

Skin, Z, A

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

### Personal protective equipment

- General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

Not necessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to

avoid possible sensitization. Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

CDN



Page 5/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

## Trade name: Meliodent Orthodontic Liquid

(Contd. of page 4)

- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:
- Butyl rubber, BR
- Nitrile rubber, NBR
- Eye protection: Not absolutely necessary.
- · Body protection: Light weight protective clothing

#### 9 Physical and chemical properties Information on basic physical and chemical properties General Information • Appearance: Form: Fluid · Color: Colorless · Odor: Characteristic · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: undetermined · Boiling point/Boiling range: 100 °C (212 °F) · Flash point: 10 °C (50 °F) · Flammability (solid, gaseous) Not applicable. · Ignition temperature: 430.0 °C (806 °F) · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive · Danger of explosion: air/vapor mixtures are possible. · Explosion limits: Lower: 2.1 Vol % · Upper: 12.5 Vol % · Vapor pressure at 20 °C (68 °F): 47 hPa (35 mm Hg) · Density at 20 °C (68 °F): 0.950 g/cm3 (7.928 lbs/gal) · Relative density Not determined. Vapor density Not determined. · Evaporation rate Not determined. Solubility in / Miscibility with Not miscible or difficult to mix · Water: · Partition coefficient (n-octanol/water): Not determined. (Contd. on page 6) CDN



Page 6/10

### Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Meliodent Orthodontic Liquid

		(Contd. of page 5
<ul> <li>Viscosity:</li> <li>dynamic at 20 °C (68 °F):</li> </ul>	1 mPas	
kinematic: Solvent content:	Not determined.	
· Solids content:	1.0 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- Reactivity No further relevant information available.
   Possibility of hazardous reactions No dangerous reactions known
   Conditions to avoid No further relevant information available.
   Incompatible materials: No further relevant information available.

- · Hazardous decomposition products: none
- · Additional information:
- Product might polymerize after considerable exceeding of recommended storage time or temperature.

	•	cological effects
		es that are relevant for classification:
80-62-6 m		
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rab)
Inhalative	LC50/4 h	29.8 mg/l (rat)
2082-81-7	tetrameth	ylene dimethacrylate
Oral	LD50	10120 mg/kg (rat)
2440-22-4	2-(2H-Be	nzotriazol-2-yl)-4-methylphenol
Oral	LD50	>10000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
99-97-8 N,	N-dimeth	yl-p-toluidine
Inhalative	LC50/4 h	1400 mg/l (rat)
· (		n: Irritant to skin and mucous membranes.
· <b>Additic</b> The pro	o <b>nal toxic</b> o oduct sho	: No irritating effect. Sensitization possible through skin contact. Dogical information: ws the following dangers according to the calculation method of the General EU delines for Preparations as issued in the latest version:

(Contd. on page 7) CDN



Page 7/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Meliodent Orthodontic Liquid

(Contd. of page 6)

3

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

80-62-6 methyl methacrylate

· NTP (National Toxicology Program)

None of the ingredients is listed.

2 Ecological i	nformation
· Toxicity	
<ul> <li>Aquatic tox</li> </ul>	icity:
	H-Benzotriazol-2-yl)-4-methylphenol
EC50/72h >10	) mg/l (algae)
LC50/96h >0.1	7 mg/l (fish)
99-97-8 N,N-di	methyl-p-toluidine
LC50/96h 100	mg/l (fish)
· Behavior in en · Bioaccumu	<b>Id degradability</b> No further relevant information available. <b>vironmental systems:</b> <b>lative potential</b> No further relevant information available. <b>soil</b> No further relevant information available.
	logical information:
Danger to d	product to reach ground water, water course or sewage system. inking water if even small quantities leak into the ground.
• <b>PBT:</b> Not ap • <b>vPvB:</b> Not a	

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

### · Waste treatment methods

### Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

### · Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

CDN



Page 8/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Meliodent Orthodontic Liquid

(Contd. of page 7)

UN-Number	
	UN1247
· TDG, IMDG, IATA	1247
UN proper shipping name	
· TDG	1247 METHYL METHACRYLATE MONOME
	STABILIZED, solution
· IMDG, IATA	METHYL METHACRYLATE MONOME
	STABILIZED, solution
Transport hazard class(es)	
·DOT	
PLAMMARE F 1000	
3	
· Class	3 Flammable liquids
· Label	3
· TDG, IMDG, IATA	Ŭ
· Class	3 Flammable liquids
	3
Packing group	
· DOT, TDG, IMDG, IATA	11
Environmental hazards:	
· Marine pollutant:	No
· · · · · · · · · · · · · · · · · · ·	
Special precautions for user · Danger code (Kemler):	Warning: Flammable liquids 339
· Danger code (Kemier): · EMS Number:	339 F-E,S-D
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	-
UN "Model Regulation":	UN1247, Methyl methacrylate monomer, stabilize solution, 3, II

(Contd. on page 9)



Page 9/10


### Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Meliodent Orthodontic Liquid

(Contd. of page 8)



- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- · Date of preparation / last revision 06/03/2017 / 2
- Abbreviations and acronyms:
   IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 10)

CDN



Page 10/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2017

Reviewed on 06/03/2017

# Trade name: Meliodent Orthodontic Liquid

(Contd. of page 9)

CDN

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative • \* Data compared to the previous version altered.