

Page 1/10

Revision: 21.12.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2023

undertaking

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company

· 1.1 Product identifier

- · Trade name: VENUS Pearl
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental filling material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

H317 May cause an allergic skin reaction. Skin Sens. 1

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- Hazard-determining components of labelling:

2-Propenoic acid, (octahydro-4,7-methano-1H-indene-5 -diyl)bis(methyleneiminocarbonyloxy-2,1ethanediyl) ester

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate 2-Propenoic acid, 1,1'-[(octahydro-4,7-methano-1H-indene-5,?-diyl) bis(methyleneoxycarbonylamino-2,1-ethanediyl)] ester triethylen glycol dimethacrylate

· Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· 2.3 Other hazards -

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2023 Version number 4 (replaces version 3) Revision: 21.12.2023

Trade name: VENUS Pearl

(Contd. of page 1)

- · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - Description: -

Description.		
· Dangerous components:		
	2-Propenoic acid, (octahydro-4,7-methano-1H-indene-5 - diyl)bis(methyleneiminocarbonyloxy-2,1-ethanediyl) ester Skin Sens. 1, H317 Aquatic Chronic 3, H412	≥5-<25%
EINECS: 276-957-5 Index number: 607-134-00-4 Reg.nr.: 01-2120751202-68-xxxx	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate Aquatic Chronic 2, H411 Skin Sens. 1B, H317 EUH204	≥2.5-≤10%
	2-Propenoic acid, 1,1'-[(octahydro-4,7-methano-1H-indene-5,?-diyl)bis(methyleneoxycarbonylamino-2,1-ethanediyl)] ester	≥2.5-≤10%
	triethylen glycol dimethacrylate Skin Sens. 1B, H317	≥1-≤5%
	Oxybenzone Aquatic Acute 1, H400; Aquatic Chronic 2, H411	≥0.25-<1%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2023 Version number 4 (replaces version 3) Revision: 21.12.2023

Trade name: VENUS Pearl

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

• 5.2 Special hazards arising from the substance or mixture
Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - · Protective equipment: No special measures required.
 - · Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Do not allow to enter the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

_

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 - Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

GB

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Revision: 21.12.2023 Printing date 21.12.2023

Trade name: VENUS Pearl

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

sewage treatment plant

sediment, dry weight, freshwater

· DNI				
		thyl-4,13-dio	xo-3,14-dioxa-5,12-diazahexadecane-1,16-di	
Oral	general population, long	term, systemic	0.3 mg/Kg (not defined)	
Dermal	worker industrial, long te	rm, systemic	1.3 mg/Kg/d (not defined)	
	general population, long term, systemic		0.7 mg/Kg/d (not defined)	
Inhalative	worker industrial, long term, systemic		3.3 mg/m3 (not defined)	
	general population, long	term, systemic	0.6 mg/m3 (not defined)	
109-16-0 1	triethylen glycol dimetha	acrylate		
Oral	general population, long	term, systemic	8.33 mg/Kg (not defined)	
Dermal	worker industrial, long te	rm, systemic	13.9 mg/Kg/d (not defined)	
	general population, long	term, systemic	8.33 mg/Kg/d (not defined)	
Inhalative	worker industrial, long te	rm, systemic	48.5 mg/m3 (not defined)	
	general population, long term, systemic		14.5 mg/m3 (not defined)	
131-57-7 (Oxybenzone			
Oral	general population, long term, systemic		2 mg/Kg (not defined)	
Dermal	worker industrial, long term, systemic		39 mg/Kg/d (not defined)	
	general population, long term, systemic		20 mg/Kg/d (not defined)	
Inhalative	worker industrial, long te	rm, systemic	27.7 mg/m3 (not defined)	
	general population, long term, systemic		6.8 mg/m3 (not defined)	
· PNI	ECs			
72869-86-	4 7,7,9(or 7,9,9)-trime bismethacrylate	thyl-4,13-dio	xo-3,14-dioxa-5,12-diazahexadecane-1,16-di	
freshwate	r	0.01 mg/l (not	defined)	
marine water		0.001 mg/l (not defined)		
sewage treatment plant 3.61 mg/l		3.61 mg/l (not	61 mg/l (not defined)	
sediment, dry weight, freshwater 4.56 mg/Kg (4.56 mg/Kg (n	ot defined)	
sediment, dry weight, marine water 0.46 mg/Kg (no		0.46 mg/Kg (n	ot defined)	
soil, dry weight 0.91 mg/Kg (no			ot defined)	
109-16-0 1	triethylen glycol dimetha	acrylate		
freshwate		0.016 mg/l (no	,	
marine wa	nter	0.002 mg/l (no	t defined)	
		I		

1.7 mg/l (not defined)

0.185 mg/Kg (not defined)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2023 Version number 4 (replaces version 3) Revision: 21.12.2023

Trade name: VENUS Pearl

(Contd. of page 4
0.018 mg/Kg (not defined)
0.027 mg/Kg (not defined)
0.00067 mg/l (not defined)
0.000067 mg/l (not defined)
10 mg/l (not defined)
0.066 mg/Kg (not defined)
0.007 mg/Kg (not defined)
0.013 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- · Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Hand protection

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- · Eye/face protection not absolutely neccessary
- · Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
 - · General Information

· Physical state

Fluid

· Colour:

Different according to colour

Smell:

Odourless

· Odour threshold:

Not determined.

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2023 Version number 4 (replaces version 3) Revision: 21.12.2023

Trade name: VENUS Pearl

	(Contd. of page
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and	
boiling range	Not determined
· Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
· Upper:	Not determined.
Flash point:	>100 °C (72869-86-4 7,7,9(or 7,9,9)-trimethy)
•	4,13-dioxo-3,14-dioxa-5,12-diazahexadecane
	1,16-diyl bismethacrylate)
· Decomposition temperature:	Not determined.
·SADT	
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Kinematic viscosity	Not dotominod.
· dynamic:	Not determined.
· Solubility	Not determined.
· Water:	Not miscible or difficult to mix
· Partition coefficient n-octanol/water (log	Not misciple of aimean to mix
value)	Not determined.
· Steam pressure:	Not determined.
	Not determined.
Vapour pressure:	
Density and/or relative density	0.4 a/am3
Density at 20 °C	2.1 g/cm³ Not determined.
Relative density	
Vapour density	Not determined.
	lo further relevant information available.
· Appearance:	
· Form:	Pasty
· Important information on protection of healt	h
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazar	rd
classes	
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
ryruphiunic sulius	VOIU

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Printing date 21.12.2023 Revision: 21.12.2023

Trade name: VENUS Pearl

		(Contd. of page 6
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Conditions to be avoided: No decomposition if used and stored according to specifications. 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met

ACU	te toxi	c ny Based on avallable data, the classification criteria are not met.
· L	D/LC5	0 values that are relevant for classification:
861437	-11-8 2 b	-Propenoic acid, (octahydro-4,7-methano-1H-indene-5 -diyl) is(methyleneiminocarbonyloxy-2,1-ethanediyl) ester
Oral	LD50	>2,000 mg/kg (rat)
72869-8		7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl smethacrylate
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
112945	-52-5 A	morphous silica
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit)
109-16-	0 trietl	nylen glycol dimethacrylate
Oral	LD50	8,300 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (mouse)
131-57-	7 Oxyl	penzone
Oral	LD50	>12,800 mg/kg (rat) (OECD 401)
	LD50	>16,000 mg/kg (rabbit) (OECD 402)
~ · ·		

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Printing date 21.12.2023 Revision: 21.12.2023

Trade name: VENUS Pearl

(Contd. of page 7)

- Respiratory or skin sensitisation
 May cause an allergic skin reaction.
 Germ cell mutagenicity Based on available data, the classification criteria are not met.
 Carcinogenicity Based on available data, the classification criteria are not met.
 Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT-single exposure Based on available data, the classification criteria are not met.
 STOT-repeated exposure Based on available data, the classification criteria are not met.
 Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

12.1 Toxicity	•
· Aquatic to	oxicity:
861437-11-8	2-Propenoic acid, (octahydro-4,7-methano-1H-indene-5 -diyl) bis(methyleneiminocarbonyloxy-2,1-ethanediyl) ester
EC50/48h	24.9 mg/l (daphnia)
	,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diy ismethacrylate
EC50/48h	>1.2 mg/l (daphnia) (OECD 202)
LC50/96h	10.1 mg/l (fish) (OECD 203)
ErC50 / 72 h	>0.68 mg/l (algae) (OECD 201)
	0.21 mg/l (algae) (OECD 201)
112945-52-5	Amorphous silica
LC50/96h	>10,000 mg/l (fish) (OECD 203)
EC50 / 24h	>1,000 mg/l (daphnia)
109-16-0 trie	thylen glycol dimethacrylate
EC50/21d	51.9 mg/L (daphnia) (OECD 211)
LC50/96h	16.4 mg/l (fish) (OECD 203)
NOEC / 21d	32 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>100 mg/l (algae) (OECD 201)
NOEC / 72h	18.6 mg/l (algae) (OECD 201)
EbC50 / 72h	72.8 mg/l (algae) (OECD 201)
131-57-7 Oxy	/benzone
EC50/48h	1.87 mg/l (daphnia) (OECD 202)
LC50/96h	3.8 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.67 mg/l (algae) (OECD 201)
NOEC / 72h	0.18 mg/l (algae) (OECD 201)
NOEC / 96h	0.72 mg/l (fish) (OECD 203)
NOEC / 48h	1.15 mg/l (daphnia) (OECD 202)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2023 Version number 4 (replaces version 3) Revision: 21.12.2023

Trade name: VENUS Pearl

(Contd. of page 8)

· 12.2 Persistence and degradability

No further relevant information available.

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

Biodegradation 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

109-16-0 triethylen glycol dimethacrylate

Biodegradation 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

131-57-7 Oxybenzone

Biodegradation 60-70 % /28d (not defined)

· 12.3 Bioaccumulative potential

131-57-7 Oxybenzone

Bloconcentration factor (BCF) | >33-<160 (fish) (OECD 305)

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects No further relevant information available.
 - Additional ecological information:
 - · General notes: Avoid transfer into the environment.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Revision: 21.12.2023 Printing date 21.12.2023

Trade name: VENUS Pearl

		(Contd. of page 9
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	y to IMO Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or
- No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects. H411

Harmful to aquatic life with long lasting effects. H412

EUH204 Contains isocyanates. May produce an allergic reaction.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.