

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2022

Version number 4

Revision: 03.08.2022

Page 1/9

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification · Product identifier • Trade name: Meliodent Heat Cure Liquid · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Manufacture of dental prothesis · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Kulzer Australia Pty Ltd Unit 20, 53 Lorraine St PEAKHURST NSW 2210 Tel: +61 (02) 9153 0311 Australia · Informing department: see above • Emergency telephone number: Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766 2 Hazard(s) Identification · Classification of the substance or mixture Flam. Liq. 2 H225 Highly flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. · Label elements GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labelling: methyl methacrylate 1,4-butandioldimethacrylate Hazard statements Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation. Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. If skin irritation or rash occurs: Get medical advice/attention. · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. (Contd. on page 2)



Safety Data Sheet according to WHS Regulations

Printing date 03.08.2022

Version number 4

Revision: 03.08.2022

(Contd. of page 1)

Page 2/9

Trade name: Meliodent Heat Cure Liquid

· vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

 Description: Product based on methacrylates 		
· Dangerous components:		
80-62-6	methyl methacrylate	>90%
	Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
2082-81-7	1,4-butandioldimethacrylate	<i>≥</i> 1- <i>≤</i> 5%
	Skin Sens. 1B, H317	
99-85-4	p-Mentha-1,4-diene	<1%
	Flam. Liq. 3, H226 Repr. 2, H361	
• Additional information For the wording of the listed hazard phrases refer to section 16.		

4 First Aid Measures

· Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact if skin irritation continues, consult a doctor.
- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing
- Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- Information for doctor
 - Most important symptoms and effects, both acute and delayed Allergic reactions
 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
 - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents Water. Special hazards arising from the substance or mixture
- Can form explosive gas-air mixtures.
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment: No special measures required.
- · Additional information -

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Prevent material from reaching sewage system, holes and cellars.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

(Contd. on page 3)



Page 3/9

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2022

Version number 4

Revision: 03.08.2022

(Contd. of page 2)

Trade name: Meliodent Heat Cure Liquid

· Reference to other sections

No dangerous materials are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

7 Handling and Storage

· Handling

Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

• Conditions for safe storage, including any incompatibilities

Storage

• Requirements to be met by storerooms and containers: Store in cool location.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Store cool (not above 25 °C).

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

-	onents with critical values that require	morntoring at the workplace:	
	nethyl methacrylate		
WES Sho Lon Ser	nort-term value: 416 mg/m³, 100 ppm ong-term value: 208 mg/m³, 50 ppm on		
• .	DNELs		
80-62-6 m	nethyl methacrylate		
Oral	general population, long term, systemic	8.2 mg/Kg (not defined)	
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)	
	general population, long term, systemic	8.2 mg/Kg/d (not defined)	
Inhalative	worker industrial, acute, local	416 mg/m3 (not defined)	
	worker industrial, long term, systemic	348.4 mg/m3 (not defined)	
	worker industrial, long term, local	208 mg/m3 (not defined)	
	general population, acute, local	208 mg/m3 (not defined)	
	general population, long term, systemic	74.3 mg/m3 (not defined)	
2082-81-7	7 1,4-butandioldimethacrylate		
Oral	general population, long term, systemic	2.5 mg/Kg (not defined)	
	·	(Contd. on page	



Page 4/9

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2022

Version number 4

Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

		(Contd. of page 3)	
Dermal	worker industrial, long te		
	general population, long	· · · · · · · · · · · · · · · · · · ·	
Inhalative	worker professional, long		
	general population, long	term, systemic 4.3 mg/m3 (not defined)	
	PNECs		
	ethyl methacrylate		
freshwate	r	0.94 mg/l (not defined)	
marine wa	ter	0.094 mg/l (not defined)	
sewage tre	eatment plant	10 mg/l (not defined)	
sediment,	dry weight, freshwater	10.2 mg/Kg (not defined)	
sediment,	dry weight, marine water	0.102 mg/Kg (not defined)	
soil, dry w		1.48 mg/Kg (not defined)	
-	1,4-butandioldimethac		
freshwate		0.043 mg/l (not defined)	
marine wa	ter	0.004 mg/l (not defined)	
sewage tre	eatment plant	2 mg/l (not defined)	
-	dry weight, freshwater	3.12 mg/Kg (not defined)	
	• •	0.312 mg/Kg (not defined)	
soil, dry w		0.573 mg/Kg (not defined)	
		e lists that were valid during the compilation were used as basis.	
Inst Wa Avo • Bre Not prot • Pro	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. Breathing equipment: Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A). Protection of hands:		
prej Sele	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the glove material on consideration of the penetration times.		
lf si sen	the degradation If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization. Solvent resistant gloves		
Che reco	Check protective gloves prior to each use for their proper condition. recommended • Material of gloves		
1 	The selection of the suitable gloves does not only depend on the material, but also of further marks of quality and varies from manufacturer to manufacturer. As the product is preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.		
-	The exact break trough	time has to be found out by the manufacturer of the protective	
	gloves and has to be obse		
		Conta. on page 5	



Page 5/9

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2022

Version number 4

Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

(Contd. of page 4) (Contd. of page 4) • For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR • Eye protection: Tightly sealed safety glasses. • Body protection: Light weight protective clothing

Information on basic physical and che General Information	emical properties
Appearance:	
· Form:	Fluid
· Colour:	Colourless
· Smell:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Mixture is non-soluble (in water).
 Change in condition Melting point/freezing point: Initial boiling point and boiling reasonable 	Not determined range: 100 °C
· Flash point:	10 °C
Inflammability (solid, gaseous)	Not applicable.
· Ignition temperature:	430 °C
• Decomposition temperature:	Not determined.
SAPT	
Meliodent Heat Cure Liquid > 60 °C	
· Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation explosive air/vapour mixtures is possible.
· Critical values for explosion:	
· Lower:	2.1 Vol %
· Upper:	12.5 Vol %
· Steam pressure at 20 °C:	47 hPa
· Density at 20 °C	0.954 g/cm³
· Relative density	Not determined.
Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	Net missible or difficult to miss
· Water:	Not miscible or difficult to mix
· Partition coefficient: n-octanol/wate	er: Not determined.
· Viscosity:	
· dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
 Solids content: 	0.0 %



Page 6/9

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2022

Version number 4

Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

· Other information

No further relevant information available.

(Contd. of page 5)

ÁU

10 Stability and Reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Conditions to be avoided: No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available. Hazardous decomposition products: None
- · Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

	11 Toxicological Information		
	on on toxi toxicity	cological effects	
· LD/	/LC50 valu	es that are relevant for classification:	
80-62-6 n	nethyl met	hacrylate	
Oral	LD50	~7,900 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)	
Inhalative	LC50/4 h	29.8 mg/l (rat)	
2082-81-7	7 1,4-butar	ndioldimethacrylate	
Oral	LD50	10,066 mg/kg (rat) (OECD 401)	
99-85-4 p	-Mentha-1	,4-diene	
Oral	LD50	>2,000 mg/kg (rat) (OECD 423)	
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)	
· Pri	mary irrita	nt effect:	

· Skin corrosion/irritation Irritant for skin and mucous membranes.

· Respiratory or skin sensitisation Sensitization possible by skin contact.

· Additional toxicological information: Irritant

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) • Reproductive toxicity Based on available data, the classification criteria are not met.

· Toxicity		
· Aquatic t	oxicity:	
80-62-6 meth	nyl methacrylate	
EC50/21d	49 mg/L (daphnia) (OECD 211)	
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)	
NOEC / 21d	37 mg/l (daphnia) (OECD 211)	
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)	
	110 mg/l (algae) (OECD 201)	
		(Contd. o



Page 7/9

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2022

Version number 4

Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

	(Contd. of page 6)			
	48 mg/l (daphnia) (EPA OTS 797.1300)			
	>110 mg/l (algae) (OECD 201)			
	9.4 mg/L (fish) (OECD 210)			
LC50/ 35d	33.7 mg/L (fish) (OECD 210)			
	4-butandioldimethacrylate			
EC50/21d	14.1 mg/L (daphnia) (OECD 211)			
EC50/48h	32.5 mg/l (fish)			
	5.09 mg/l (daphnia) (OECD 211)			
	9.79 mg/l (algae) (OECD 201)			
	2.11 mg/l (algae) (OECD 201)			
NOEC / 48h	25 mg/l (fish)			
ErC10/72h	4.35 mg/L (algae) (OECD 201)			
99-85-4 р-Ме	entha-1,4-diene			
EC50/72h	>10.82 mg/l (algae) (OECD 201)			
EC50/48h	10.189 mg/l (daphnia) (OECD 202)			
LC50/96h	2.792 mg/l (fish) (OECD 203)			
	and degradability			
	80-62-6 methyl methacrylate			
	Biodegradation 94 % /14d (not defined) (OECD 301C)			
	2082-81-7 1,4-butandioldimethacrylate			
	on 84 % /28d (not defined) (OECD 310)			
	entha-1,4-diene			
	on 27 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)			
Bioaccun Mobility i Additional e General r				
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. • Results of PBT and vPvB assessment				
• PBT: Not applicable. • vPvB: Not applicable.				
• Other advers	se effects No further relevant information available.			
13 Disposal d	considerations			
Waste treatr	nent methods			

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

Uncleaned packagings: Recommendation:

Disposal must be made according to official regulations.

(Contd. on page 8) AU



Page 8/9

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2022

Version number 4

Revision: 03.08.2022

(Contd. of page 7)

Trade name: Meliodent Heat Cure Liquid

Non contaminated packagings can be used for recycling.

14 Transport information · UN-Number · ADG, IMDG, IATA UN1247 · UN proper shipping name · ADG 1247 METHYL METHACRYLATE MONOMER, STABILIZED solution METHYL METHACRYLATE MONOMER, · IMDG, IATA STABILIZED solution · Transport hazard class(es) · ADG · Class 3 (F1) Flammable liquids. · Label · IMDG, IATA · Class 3 Flammable liquids. · Label 3 · Packing group · ADĞ, ĬMDĠ, IATA \parallel · Environmental hazards: · Marine pollutant: No Warning: Flammable liquids. Special precautions for user · Kemler Number: 339 · EMS Number: F-E,S-D Stowage Category В · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADG · Limited quantities (LQ) 1L · Excepted quantities (ÉQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category 2 (Contd. on page 9)

ÂU



Page 9/9

Safety Data Sheet according to WHS Regulations

Printing date 03.08.2022

Version number 4

Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

	(Contd. of page 8)
• Tunnel restriction code	D/E
• IMDG • Limited quantities (LQ) • Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED SOLUTION, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture • Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Directive 2012/18/EU

Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
 - H361 Suspected of damaging fertility or the unborn child.

Abbreviations and acronyms:

SAPT: Self Accelerating Polymerisation Temperature ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

- VPVB: very Persistent, Bloaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids Category 2 Flam. Liq. 3: Flammable liquids Category 3 Skin Irrit. 2: Skin corrosion/irritation Category 2

- Skin Sens. 1: Skin sensitisation Category 1 Skin Sens. 1B: Skin sensitisation Category 1B
- Repr. 2: Reproductive toxicity Category 2 STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- * Data compared to the previous version altered.

AU