

Page 1/8

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/28/2020

Reviewed on 07/28/2020

Tel.: +49 (0)800 4372522

1 Identification

- · Product identifier
 - · Trade name: Meliodent Heat Cure Liquid
 - · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

· Information department:

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com

· Emergency telephone number:

Emergency CONTACT (24-Hour-Number)
ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard identification

· Classification of the substance or mixture

H225 Highly flammable liquid and vapour. Flammable Liquids - Category 2 Skin Irritation - Category 2 H315 Causes skin irritation.

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the Reproductive Toxicity - Category 2 unborn child.

Specific Target Organ Toxicity - Single Exposure - H335 May cause respiratory irritation. Category 3

· Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

methyl methacrylate

tetramethylene dimethacrylate

Hazard statements

Highly flammable liquid and vapour.

Causes skin irritation.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

May cause respiratory irritation.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)



Page 2/8

(Contd. of page 1)

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/28/2020

Reviewed on 07/28/2020

Trade name: Meliodent Heat Cure Liquid

· Classification system

NFPA ratings for USA (scale 0-4)



· HMIS-Ratings (Scale 0-4)



Health = 1 *Fire* = 3 Reactivity = 0

· Other hazards -

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
 - **Description:** Composition based on methacrylates

	rous components:	
80-62-6	methyl methacrylate Flammable Liquids - Category 2, H225 Skin Irritation - Category 2, H315; Skin Sensitizer - Category 1, H317; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	>90% w/w
2082-81-7	tetramethylene dimethacrylate	<i>≥1-≤</i> 5% w/w *
	Skin Sensitizer - Category 1B, H317	
99-85-4	p-Mentha-1,4-diene	≥0.1-<0.2% w/w *
	Flammable Liquids - Category 3, H226 Reproductive Toxicity - Category 2, H361	

^{*} Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of complaints.
 - After skin contact If skin irritation continues, consult a doctor.
 - After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor
 - · Most important symptoms and effects, both acute and delayed Allergic reactions
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
 - · For safety reasons unsuitable extinguishing agents Water.

(Contd. on page 3)

[·] Additional information For the wording of the listed hazard phrases refer to section 16.



Page 3/8

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/28/2020

Reviewed on 07/28/2020

Trade name: Meliodent Heat Cure Liquid

(Contd. of page 2)

Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
 - Protective equipment: No special measures required.
- Additional information -

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).

Reference to other sections

No dangerous substances are released. See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
 - Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and receptacles: Store in a cool location.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep cool, if possible (not above 25 °C).

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

80-62-6 methyl methacrylate

EL () Short-term value: 125 ppm Long-term value: 50 ppm

Skin, Z, A

(Contd. on page 4)



Page 4/8

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/28/2020 Reviewed on 07/28/2020

Trade name: Meliodent Heat Cure Liquid

(Contd. of page 3)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Not necessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to

avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- · Eye protection: Tightly sealed goggles.
- · Body protection: Light weight protective clothing

9 Physical and chemical properties

· Informat	ion o	n bası	c physical	and c	hemical	properties

- General Information
 - · Appearance:

Form: Fluid
Color: Colorless
Odor: Characteristic
Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: undetermined
 Boiling point/Boiling range: 100 °C (212 °F)

• Flash point: 10 °C (50 °F)

(Contd. on page 5)



Page 5/8

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/28/2020

Reviewed on 07/28/2020

Trade name: Meliodent Heat Cure Liquid

	(Contd. of page 4)
Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	430 °C (806 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits: Lower: Upper:	2.1 Vol % 12.5 Vol %
· Vapor pressure at 20 °C (68 °F):	47 hPa (35.3 mm Hg)
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.954 g/cm³ (7.96113 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with · Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity: dynamic: kinematic:	Not determined. Not determined.
· Solvent content:	
· Solids content: · Other information	0.0 % No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: none
- · Additional information:

Product might polymerize after considerable exceeding of recommended storage time or temperature.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

LD/LC50 values that are relevant for classification:			
80-62-6 n	80-62-6 methyl methacrylate		
Oral	LD50	~7,900 mg/kg (rat) weight of evidence	
Dermal	LD50	>5,000 mg/kg (rab) (OECD 402)	

(Contd. on page 6)



Page 6/8

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/28/2020

Reviewed on 07/28/2020

Trade name: Meliodent Heat Cure Liquid

		(Contd. of page 5)
Inhalative	LC50/4 h	29.8 mg/l (rat)
2082-81-7	tetrameth	nylene dimethacrylate
Oral	LD50	10,066 mg/kg (rat) (OECD 401)
99-85-4 p-	-Mentha-1	4-diene
Oral	LD50	>2,000 mg/kg (rat) (OECD 423)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

· Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information: Irritant
 - · Carcinogenic categories

80-62-6 methyl methacrylate

3

NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:		
	ethyl methacrylate	
EC50/48h	69 mg/l (daphnia)	

LC50/96h | 191 mg/l (fish)

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

(Contd. on page 7)



Page 7/8

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/28/2020 Reviewed on 07/28/2020

Trade name: Meliodent Heat Cure Liquid

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Non contaminated packagings can be used for recycling.

(Contd. of page 6)

Transport information	
UN-Number	
· DOT/TDG, ADR, IMDG, IATA	UN1247
UN proper shipping name · ADR	1247 METHYL METHACRYLATE MONON STABILIZED
· IMDG, IATA	METHYL METHACRYLATE MONOM STABILIZED solution
Transport hazard class(es)	
DOT/TDG (Transport dangerous go	ods):
T AMMER I LOSS	
· Class	3 Flammable liquids
· Label	3
· ADR	
· Class · Label	3 (F1) Flammable liquids 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
Packing group DOT/TDG, ADR, IMDG, IATA	II .
Environmental hazards: • Marine pollutant:	No
Special precautions for user Hazard identification number (Ke	
code):	339
· EMS Number: · Stowage Category	F-E,S-D B
Stowage Code	SW2 Clear of living quarters.

Not applicable.



Page 8/8

(Contd. of page 7)

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/28/2020

Reviewed on 07/28/2020

Trade name: Meliodent Heat Cure Liquid

· Transport/Additional information:

Excepted quantities (EQ)

Code: E2 Maximum net quantity per inner packaging: 30 Maximum net quantity per outer packaging: 500 1L

·IMDG · Limited quantities (LQ)

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 500

· UN "Model Regulation": UN1247, Methyl methacrylate monomer, stabilized,

solution, 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

Date of the latest revision of the safety data sheet 07/28/2020 / 3

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.