

Page 1/10

Revision: 03.08.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/

undertaking

- · 1.1 Product identifier
 - · Trade name: Meliodent Heat Cure Liquid
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Manufacture of dental prothesis
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl methacrylate

1,4-butandioldimethacrylate

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray. P260

Wear protective gloves/protective clothing/eye protection/face protection/hearing P280

protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· 2.3 Other hazards -

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 4 (replaces version 3) Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

(Contd. of page 1)

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - Description: Product based on methacrylates

· Dangerous com	· Dangerous components:		
CAS: 80-62-6	methyl methacrylate	>90%	
EINECS: 201-297-1	Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335		
CAS: 2082-81-7	1,4-butandioidimethacrylate	≥1-≤5%	
EINECS: 218-218-1	Skin Sens. 1B, H317		
CAS: 99-85-4	p-Mentha-1,4-diene	<0.25%	
EINECS: 202-794-6	Flam. Liq. 3, H226		
	Repr. 2, H361		
	Aquatic Chronic 2, H411		

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - After skin contact If skin irritation continues, consult a doctor.
 - After eye contact
 - Rinse opened eye for several minutes under running water. Then consult doctor.
 - · After swallowing
 - Rinse out mouth and then drink plenty of water.
 - In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
 - For safety reasons unsuitable extinguishing agents Water.
- **5.2 Special hazards arising from the substance or mixture** Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - Protective equipment: No special measures required.
 - Additional information -

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 4 (replaces

Version number 4 (replaces version 3) Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

(Contd. of page 2)

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

- Storage
 - · Requirements to be met by storerooms and containers: Store in cool location.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:

Store cool (not above 25 °C).

Store in cool, dry conditions in well sealed containers.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:					
	80-62-6 n	nethyl methacry	ylate		
OEL (Ireland)		and)	Short-term value: 100 ppm Long-term value: 50 ppm IOELV, Sens		
IOELV (European Union)		uropean Union)	Short-term value: 100 ppm Long-term value: 50 ppm		
	· DN	ELs			
	80-62-6 n	nethyl methacry	ylate		
	Oral	general popula	tion, long term, systemic	8.2 mg/Kg (not defined)	
	Dermal	worker industri	ial, long term, systemic	13.67 mg/Kg/d (not defined)	
		1			

Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m3 (not defined)
	worker industrial, long term, systemic	348.4 mg/m3 (not defined)
	worker industrial, long term, local	208 mg/m3 (not defined)
	general population, acute, local	208 mg/m3 (not defined)

general population, long term, systemic 74.3 mg/m3 (not defined)

2082-81-7 1.4-butandioldimethacrylate

Oral general population, long term, systemic 2.5 mg/Kg (not defined)

(Contd. on page 4)



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 4 (replaces version 3) Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

				(Contd. of page 3)
Dermal worker industrial, long ter		rm, systemic	4.2 mg/Kg/d (not defined)	
	general population, long	term, systemic	2.5 mg/Kg/d (not defined)	
Inhalative	worker professional, long	term, systemic	14.5 mg/m3 (not defined)	
	general population, long	term, systemic	4.3 mg/m3 (not defined)	
·PNE	Cs			
80-62-6 m	ethyl methacrylate			
freshwater		0.94 mg/l (not d	efined)	
marine wa	ter	0.094 mg/l (not defined)		
sewage tre	eatment plant	10 mg/l (not defined)		
sediment,	dry weight, freshwater	10.2 mg/Kg (not defined)		
sediment,	dry weight, marine water	0.102 mg/Kg (not defined)		
soil, dry w	eight	1.48 mg/Kg (not defined)		
2082-81-7 1,4-butandioldimethacry		ylate		
freshwater		0.043 mg/l (not	defined)	
marine water		0.004 mg/l (not defined)		
sewage treatment plant		2 mg/l (not defined)		
sediment, dry weight, freshwater		3.12 mg/Kg (not defined)		
sediment, dry weight, marine water		0.312 mg/Kg (n	ot defined)	
soil, dry weight		0.573 mg/Kg (n	ot defined)	
	Inhalative PNE 80-62-6 m freshwater marine wa sewage tre sediment, soil, dry we 2082-81-7 freshwater marine wa sewage tre sediment, sediment, sediment, sediment,	Inhalative worker professional, long general population, long general population, long general population, long PNECs 80-62-6 methyl methacrylate freshwater marine water sewage treatment plant sediment, dry weight, freshwater sediment, dry weight, marine water soil, dry weight 2082-81-7 1,4-butandioldimethacr freshwater marine water sewage treatment plant sediment, dry weight, freshwater sediment, dry weight, marine water sediment, dry weight, marine water	general population, long term, systemic worker professional, long term, systemic general population, long term, systemic general population, long term, systemic seliment, dry weight, freshwater sediment, dry weight, marine water soil, dry weight 1.48 mg/Kg (not sewage treatment plant soil, dry weight 1.48 mg/Kg (not sewage treatment plant sedimethacrylate freshwater greshwater marine water sewage treatment plant sewage treatment plant sediment, dry weight, freshwater sewage treatment plant sediment, dry weight, freshwater sediment, dry weight, marine water 0.312 mg/Kg (not general population, long term, systemic weight not 0.94 mg/l (not defin 3.12 mg/Kg (not general population, long term, systemic marine water sediment, dry weight, freshwater sediment, dry weight, marine water 0.094 mg/l (not defin 3.12 mg/Kg (not general population, long term, systemic members, long term, systemic members, systemi	Inhalative general population, long term, systemic worker professional, long term, systemic general population, long term, systemic general population, long term, systemic general population, long term, systemic 14.5 mg/m3 (not defined) 4.3 mg/

[·] Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 4 (replaces version 3) Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

(Contd. of page 4)

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Tightly sealed safety glasses.

· Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state
 Colour:
 Smell:
 Odour threshold:
 Melting point/freezing point:
 Fluid
 Colourless
 Characteristic
 Not determined
 Not determined

Melting point/freezing point:
Boiling point or initial boiling point and

boiling range 100 °C (80-62-6 methyl methacrylate)
• Flammability Not applicable.

Lower and upper explosion limit

 Lower:
 2.1 Vol %

 Upper:
 12.5 Vol %

• Flash point: 10 °C (80-62-6 methyl methacrylate)

Ignition temperature: 430 °C

• Decomposition temperature: Not determined.

·SAPT

Meliodent Heat Cure Liquid > 60 °C

·SADT

· **pH** Mixture is non-soluble (in water).

· Viscosity:

Kinematic viscosity
Not determined.
Not determined.

Solubility

Water: Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

value) Not determined.

· Steam pressure at 20 °C: 47 hPa

Density and/or relative density

Density at 20 °C

Relative density

Vapour density

0.954 g/cm³

Not determined.

Not determined.

· 9.2 Other information

No further relevant information available.

· Appearance:

Fluid

 Important information on protection of health and environment, and on safety.

Self-inflammability: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures is possible.

· Solvent content:

· Solids content: 0.0 %

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Version number 4 (replaces version 3) Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

	(Contd. of page 5
· Change in condition · Evaporation rate	Not determined.
· Information with regard to physical hazard	
classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:		
80-62-6 methyl methacrylate			
Oral	LD50	~7,900 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)	
Inhalative	LC50/4 h	29.8 mg/l (rat)	
2082-81-7 1,4-butandioldimethacrylate			
Oral	LD50	10,066 mg/kg (rat) (OECD 401)	
99-85-4 p-Mentha-1,4-diene			
Oral	LD50	>2,000 mg/kg (rat) (OECD 423)	
			(Contd. on page 7)

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

(Contd. of page 6)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.

 Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

12.1 Toxicity	12: Ecological information	
· Aquatic t	oxicity:	
80-62-6 meth	nyl methacrylate	
EC50/21d	49 mg/L (daphnia) (OECD 211)	
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)	
NOEC / 21d	37 mg/l (daphnia) (OECD 211)	
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)	
NOEC / 72h	110 mg/l (algae) (OECD 201)	
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)	
EbC50 / 72h	>110 mg/l (algae) (OECD 201)	
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)	
LC50/ 35d	33.7 mg/L (fish) (OECD 210)	
2082-81-7 1,4	4-butandioldimethacrylate	
EC50/21d	14.1 mg/L (daphnia) (OECD 211)	
EC50/48h	32.5 mg/l (fish)	
NOEC / 21d	5.09 mg/l (daphnia) (OECD 211)	
ErC50 / 72 h	9.79 mg/l (algae) (OECD 201)	
NOEC / 72h	2.11 mg/l (algae) (OECD 201)	
NOEC / 48h	25 mg/l (fish)	
ErC10/72h	4.35 mg/L (algae) (OECD 201)	
99-85-4 р-Ме	entha-1,4-diene	
EC50/72h	>10.82 mg/l (algae) (OECD 201)	
EC50/48h	10.189 mg/l (daphnia) (OECD 202)	
LC50/96h	2.792 mg/l (fish) (OECD 203)	
12.2 Persiste	ence and degradability	
80-62-6 meth	nyl methacrylate	



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022

Version number 4 (replaces version 3)

(Contd. of page 7)

Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

2082-81-7 1,4-butandioldimethacrylate

Biodegradation 84 % /28d (not defined) (OECD 310)

99-85-4 p-Mentha-1,4-diene

Biodegradation 27 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

- 12.3 Bioaccumulative potential No further relevant information available.
- · **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

18 01 06* chemicals consisting of or containing hazardous substances

- Uncleaned packagings:
 - · Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· 14.1	UN numbe	r or ID number
--------	----------	----------------

· **ADR, IMDG, IATA** UN1247

· 14.2 UN proper shipping name

· **ADR** 1247 METHYL METHACRYLATE MONOMER,

STABILIZED solution

· IMDG, IATA METHYL METHACRYLATE MONOMER,

STABILIZED solution

· 14.3 Transport hazard class(es)

· ADR



· Class 3 (F1) Flammable liquids.

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

(Contd. of page 8) 3 · Label · IMDG, IATA 3 Flammable liquids. · Class · Label 14.4 Packing group ADR, IMDG, IATA · 14.5 Environmental hazards: Marine pollutant: No · 14.6 Special precautions for user Warning: Flammable liquids. · Kemler Number: 339 · EMS Number: F-E,S-D · Stowage Category В · Stowage Code SW2 Clear of living quarters. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR Limited quantities (LQ) · Excepted quantities (ÉQ) Code: E2 Maximum net quantity per inner packaging: Maximum net quantity per outer packaging: 500 ml · Transport category · Tunnel restriction code D/E ·IMDG · Limited quantities (LQ) 1L Excepted quantities (ÉQ) Code: E2 Maximum net quantity per inner packaging: Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED SOLUTION, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
 - Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Heat Cure Liquid

(Contd. of page 9)

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

Date of previous version: 03.08.2022

· Version number of previous version: 3

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature SAPT: Self Accelerating Polymerisation Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Repr. 2: Reproductive toxicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.