



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **Meliodent Rapid Repair Liquid**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· Application of the substance / the mixture Manufacture of dental prothesis

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· Informing department: E-Mail: msds@kulzer-dental.com

· **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Danger

· **Hazard-determining components of labelling:**

methyl methacrylate

1,4-butandiol dimethacrylate

2- (2H-Benzotriazol-2-yl) -p-cresol

· **Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· **2.3 Other hazards -**

(Contd. on page 2)

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid**Results of PBT and vPvB assessment**

(Contd. of page 1)

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Description:**

Product based on methacrylates

Dangerous components:

CAS: 80-62-6 EINECS: 201-297-1	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	>90%
CAS: 2082-81-7 EINECS: 218-218-1	1,4-butandiol dimethacrylate Skin Sens. 1B, H317	≥1-≤5%
CAS: 2440-22-4 EINECS: 219-470-5 Reg.nr.: 01-2119583811-34-xxxx	2- (2H-Benzotriazol-2-yl) -p-cresol Aquatic Chronic 1, H410 Skin Sens. 1B, H317	≥0.25-<1%
CAS: 99-97-8 EINECS: 202-805-4 Reg.nr.: 01-2119956633-31-xxxx	N,N-dimethyl-p-toluidine Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 3, H412	<1%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures**· **After inhalation** Supply fresh air; consult doctor in case of symptoms.· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**· **Suitable extinguishing agents** CO₂, sand, extinguishing powder. Do not use water.· **For safety reasons unsuitable extinguishing agents** Water.· **5.2 Special hazards arising from the substance or mixture**

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

GB



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid

(Contd. of page 2)

- **5.3 Advice for firefighters**
 - **Protective equipment:** No special measures required.
 - **Additional information -**

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.
Avoid contact with eyes and skin.
- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections**

No dangerous materials are released.
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
-

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Keep containers tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:** Store in cool location.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:**

Store cool (not above 25 °C).
Store in cool, dry conditions in well sealed containers.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

80-62-6 methyl methacrylate

WEL (Great Britain)	Short-term value: 416 mg/m ³ , 100 ppm Long-term value: 208 mg/m ³ , 50 ppm
IOELV (European Union)	Short-term value: 100 ppm Long-term value: 50 ppm

(Contd. on page 4)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid

(Contd. of page 3)

· DNELs		
80-62-6 methyl methacrylate		
Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m3 (not defined)
	worker industrial, long term, systemic	348.4 mg/m3 (not defined)
	worker industrial, long term, local	208 mg/m3 (not defined)
	general population, acute, local	208 mg/m3 (not defined)
	general population, long term, systemic	74.3 mg/m3 (not defined)
2082-81-7 1,4-butandioldimethacrylate		
Oral	general population, long term, systemic	2.5 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	4.2 mg/Kg/d (not defined)
	general population, long term, systemic	2.5 mg/Kg/d (not defined)
Inhalative	worker professional, long term, systemic	14.5 mg/m3 (not defined)
	general population, long term, systemic	4.3 mg/m3 (not defined)
2440-22-4 2- (2H-Benzotriazol-2-yl) -p-cresol		
Oral	general population, long term, systemic	1.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	2.5 mg/Kg/d (not defined)
	general population, long term, systemic	1.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, systemic	1 mg/m3 (not defined)
	worker industrial, long term, systemic	1 mg/m3 (not defined)
	worker professional, long term, local	1 mg/m3 (not defined)

· PNECs		
80-62-6 methyl methacrylate		
freshwater		0.94 mg/l (not defined)
marine water		0.094 mg/l (not defined)
sewage treatment plant		10 mg/l (not defined)
sediment, dry weight, freshwater		10.2 mg/Kg (not defined)
sediment, dry weight, marine water		0.102 mg/Kg (not defined)
soil, dry weight		1.48 mg/Kg (not defined)
2082-81-7 1,4-butandioldimethacrylate		
freshwater		0.043 mg/l (not defined)
marine water		0.004 mg/l (not defined)
sewage treatment plant		2 mg/l (not defined)
sediment, dry weight, freshwater		3.12 mg/Kg (not defined)
sediment, dry weight, marine water		0.312 mg/Kg (not defined)
soil, dry weight		0.573 mg/Kg (not defined)
2440-22-4 2- (2H-Benzotriazol-2-yl) -p-cresol		
freshwater		0 mg/l (not defined)
marine water		0 mg/l (not defined)
sewage treatment plant		1 mg/l (not defined)
sediment, dry weight, freshwater		0.136 mg/Kg (not defined)
sediment, dry weight, marine water		0.014 mg/Kg (not defined)

(Contd. on page 5)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid

(Contd. of page 4)

soil, dry weight	100 mg/Kg (not defined)
------------------	-------------------------

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Not necessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye/face protection** Tightly sealed safety glasses.

· **Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Colourless

· **Smell:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Not determined

· **Boiling point or initial boiling point and boiling range**

100 °C (80-62-6 methyl methacrylate)

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

2.1 Vol %

(Contd. on page 6)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid

(Contd. of page 5)

<ul style="list-style-type: none">· Upper:· Flash point:· Ignition temperature:· Decomposition temperature:	12.5 Vol % 10 °C (80-62-6 methyl methacrylate) 430 °C Not determined.
· SAPT	
Meliodent Rapid Repair Liquid	> 60 °C
<ul style="list-style-type: none">· SADT· pH· Viscosity:· Kinematic viscosity· dynamic at 20 °C:· Solubility· Water:· Partition coefficient n-octanol/water (log value)· Steam pressure at 20 °C:· Density and/or relative density· Density at 20 °C· Relative density· Vapour density	Mixture is non-soluble (in water). Not determined. 1 mPas Not miscible or difficult to mix Not determined. 47 hPa 0.94613 g/cm ³ Not determined. Not determined.
<ul style="list-style-type: none">· 9.2 Other information· Appearance:· Form:· Important information on protection of health and environment, and on safety.· Self-inflammability:· Explosive properties:· Change in condition· Evaporation rate	No further relevant information available. Fluid Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapour mixtures is possible. Not determined.
<ul style="list-style-type: none">· Information with regard to physical hazard classes· Explosives· Flammable gases· Aerosols· Oxidising gases· Gases under pressure· Flammable liquids· Flammable solids· Self-reactive substances and mixtures· Pyrophoric liquids· Pyrophoric solids· Self-heating substances and mixtures· Substances and mixtures, which emit flammable gases in contact with water· Oxidising liquids· Oxidising solids· Organic peroxides· Corrosive to metals· Desensitised explosives	Void Void Void Void Void Highly flammable liquid and vapour. Void Void Void Void Void Void Void Void Void Void Void Void

GB

(Contd. on page 7)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None
- **Additional information:**
 - If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

80-62-6 methyl methacrylate

Oral	LD50	~7,900 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)

2082-81-7 1,4-butandiol dimethacrylate

Oral	LD50	10,066 mg/kg (rat) (OECD 401)
------	------	-------------------------------

2440-22-4 2- (2H-Benzotriazol-2-yl) -p-cresol

Oral	LD50	10,000 mg/kg (rat) (OECD 423)
------	------	-------------------------------

99-97-8 N,N-dimethyl-p-toluidine

Oral	LD50	139 mg/kg (rat)
------	------	-----------------

- **Skin corrosion/irritation**
 - Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
 - May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
 - May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

GB
(Contd. on page 8)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid

(Contd. of page 7)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

80-62-6 methyl methacrylate

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

2082-81-7 1,4-butandiol dimethacrylate

EC50/21d	14.1 mg/L (daphnia) (OECD 211)
EC50/48h	32.5 mg/l (fish)
NOEC / 21d	5.09 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	9.79 mg/l (algae) (OECD 201)
NOEC / 72h	2.11 mg/l (algae) (OECD 201)
NOEC / 48h	25 mg/l (fish)
ErC10/72h	4.35 mg/L (algae) (OECD 201)

2440-22-4 2- (2H-Benzotriazol-2-yl) -p-cresol

EC50/72h	>100 mg/l (algae)
EC50/21d	0.015 mg/L (daphnia) (OECD 211)
LC50/96h	>0.17 mg/l (fish) (OECD 203)
NOEC / 21d	0.013 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>0.0822 mg/l (algae) (OECD 201)
NOEC / 96h	0.17 mg/l (fish) (OECD 203)
EC50 / 24h	>1,000 mg/l (daphnia) (OECD 202)
ErC10/72h	0.0588 mg/L (algae) (OECD 201)

99-97-8 N,N-dimethyl-p-toluidine

LC50/96h	100 mg/l (fish)
----------	-----------------

12.2 Persistence and degradability

80-62-6 methyl methacrylate

Biodegradation	94 % /14d (not defined) (OECD 301C)
----------------	-------------------------------------

2082-81-7 1,4-butandiol dimethacrylate

Biodegradation	84 % /28d (not defined) (OECD 310)
----------------	------------------------------------

2440-22-4 2- (2H-Benzotriazol-2-yl) -p-cresol

Biodegradation	0-2 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
----------------	---

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 9)

GB



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid

(Contd. of page 8)

- **12.6 Endocrine disrupting properties**
For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
 - **Additional ecological information:**
 - **General notes:**
Do not allow product to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.


SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
 - **Uncleaned packagings:**
 - **Recommendation:**
Disposal must be made according to official regulations.
Non contaminated packagings can be used for recycling.


SECTION 14: Transport information

- | | |
|---|---|
| · 14.1 UN number or ID number
· ADR, IMDG, IATA | UN1247 |
| · 14.2 UN proper shipping name
· ADR

· IMDG, IATA | 1247 METHYL METHACRYLATE MONOMER, STABILIZED solution
METHYL METHACRYLATE MONOMER, STABILIZED solution |
| · 14.3 Transport hazard class(es)
· ADR



· Class
· Label | 3 (F1) Flammable liquids.
3 |
| · IMDG, IATA



· Class
· Label | 3 Flammable liquids.
3 |
| · 14.4 Packing group
· ADR, IMDG, IATA | II |

(Contd. on page 10)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid

(Contd. of page 9)

· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Kemler Number:	339
· EMS Number:	F-E,S-D
· Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	-
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED SOLUTION, 3, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category P5c** FLAMMABLE LIQUIDS
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H225 Highly flammable liquid and vapour.
 - H301 Toxic if swallowed.
 - H311 Toxic in contact with skin.
 - H315 Causes skin irritation.

(Contd. on page 11)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 03.08.2022

Version number 4 (replaces version 3)

Revision: 03.08.2022

Trade name: Meliodent Rapid Repair Liquid

(Contd. of page 10)

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

SAPT: Self Accelerating Polymerisation Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**