

Page 1/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 10.02.2025 Revision: 10.02.2025

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
 - · Trade name: Gluma Desensitizer
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture For desensitisation of teeth
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· Informing department: E-Mail: msds@kulzer-dental.com

• 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

H332 Harmful if inhaled. Acute Tox. 4

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eve Dam. 1 H318 Causes serious eve damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Resp. Sens. 1

H317 May cause an allergic skin reaction. Skin Sens. 1 STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS08 GHS05 GHS07

- Signal word Danger
- · Hazard-determining components of labelling: glutaral

2-hydroxyethyl methacrylate

· Hazard statements

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)



Page 2/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 10.02.2025 Revision: 10.02.2025

Trade name: Gluma Desensitizer

(Contd. of page 1)

· Precautionary statements

Avoid breathing mist/vapours/spray. P261 P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/

hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

· 2.3 Other hazards -

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: -

· Dangerous components:		
	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	25-50%
EINECS: 203-856-5 Index number: 605-022-00-X	glutaral Acute Tox. 3, H301; Acute Tox. 2, H330 Resp. Sens. 1, H334 Skin Corr. 1B, H314 Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Skin Sens. 1A, H317; STOT SE 3, H335 EUH071 Specific concentration limit: STOT SE 3; H335: C ≥ 0.5 %	5-10%
· SVHC		

111-30-8 glutaral

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Page 3/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 10.02.2025 Revision: 10.02.2025

Trade name: Gluma Desensitizer

(Contd. of page 2)

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - · Protective equipment: Put on breathing apparatus.
 - · Additional information -

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues). Dispose of contaminated material as waste according to item 13.

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Wear protective equipment. Keep unprotected persons away.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



Page 4/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.02.2025 Version number 4 (replaces version 3) Revision: 10.02.2025

Trade name: Gluma Desensitizer

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

·	
· Components with critical values that require monitoring at the workplace:	
111-30-8 glutaral	
OELV () Short-term value: 0.2 mg/m³, 0.05 ppm Sen	

DNELs

868-77-9 2-hydroxyethyl methacrylate

Dermal	worker industrial,	long term,	systemic	1.3 mg/Kg/d (not defined)
Inhalative	worker industrial.	long term.	systemic	4.9 mg/m3 (not defined)

PNECs

868-77-9 2-hydroxyethyl methacrylate

	0.482 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	3.79 mg/Kg (not defined)
	0.476 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition. recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



Page 5/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.02.2025 Version number 4 (replaces version 3) Revision: 10.02.2025

Trade name: Gluma Desensitizer

Penetration time of glove material

(Contd. of page 4)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

· Eye/face protection

Before use, put on the protective goggles and cover the patient's eyes to protect against splashes of material.

Tightly sealed safety glasses.

Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateColour:Smell:LiquidColourlessAromatic

· Odour threshold: Not determined. · Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range Not determined Not applicable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.

· Flash point: >95 °C

Decomposition temperature: Not determined.

SADT

· **pH** Not determined.

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

Solubility

Water: Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

value)Not determined.Steam pressure:Not determined.

Density and/or relative density

Density at 20 °C 1.16 g/cm³
Relative density Not determined.
Vapour density Not determined.

• **9.2 Other information** No further relevant information available.

· Appearance:

Fluid

(Contd. on page 6)



Page 6/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.02.2025 Version number 4 (replaces version 3) Revision: 10.02.2025

Trade name: Gluma Desensitizer

(Contd. of page 5)

· Important informa	ation on	protection of	health
and environment	and on	safety	

• Self-inflammability: Product is not selfigniting.
• Explosive properties: Product is not explosive.

Solvent content:

· VOC EU

g/l

Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity

Harmful if inhaled.

· LD/LC50 values that are relevant for classification:

Oral LD50 >2,000 mg/kg (rat)

(Contd. on page 7)



Page 7/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 10.02.2025 Revision: 10.02.2025

Trade name: Gluma Desensitizer

(Contd. of page 6)

		(c
868-77-	9 2-hy	droxyethyl methacrylate
	_	5,564 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (can)
111-30-	8 gluta	aral
Oral	LD50	77 mg/kg (rat)

- · Primary irritant effect:
 - · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · **Aspiration hazard** Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
868-77-9 2-h	ydroxyethyl methacrylate	
EC50/48h	380 mg/l (daphnia)	
LC50/96h	>100 mg/l (fish)	
EC50	>3,000 mg/l (bacteria)	
NOEC / 21d	24.1 mg/l (daphnia)	
ErC50 / 72 h	836 mg/l (algae)	
NOEC / 72h	400 mg/l (algae) (OECD 201)	

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · **vPvB**: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)



Page 8/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.02.2025 Version number 4 (replaces version 3) Revision: 10.02.2025

Trade name: Gluma Desensitizer

(Contd. of page 7)

· 12.7 Other adverse effects

- · Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation

· Class

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

18 01 06* chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN3265
· 14.2 UN proper shipping name · ADR	3265 CORROSIVE LIQUID, ACIDIC, ORGAN N.O.S. (glutaral)
· IMDG, IATA	CORRÖSIVE LIQUID, ACIDIC, ORGANI N.O.S. (glutaral)
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	8 (C3) Corrosive substances. 8
· IMDG, IATA	

8 Corrosive substances.

(Contd. on page 9)



Page 9/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.02.2025 Version number 4 (replaces version 3) Revision: 10.02.2025

Trade name: Gluma Desensitizer

	(Contd. of page
14.4 Packing group · ADR, IMDG, IATA	II .
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids
· Stowage Category · Stowage Code	В SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according t instruments	o IMO Not applicable.
· Transport/Additional information:	-
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inno packaging: 30 ml Maximum net quantity per outo packaging: 500 ml
· Transport category · Tunnel restriction code	packaging. 300 mi 2 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inno packaging: 30 ml Maximum net quantity per out packaging: 500 ml
· UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDI ORGANIC, N.O.S. (GLUTARAL), 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- Regulation (EU) No 649/2012

None of the ingredients are included.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 10)



Page 10/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 10.02.2025 Revision: 10.02.2025

Trade name: Gluma Desensitizer

· REGULATION (EU) 2019/1148

(Contd. of page 9)

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

no information available

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

no information available

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- REGULATION (EU) 2024/590 on substances that deplete the ozone layer
 - · Other regulations, limitations and prohibitive regulations
 - · Substances of very high concern (SVHC) according to REACH, Article 57

111-30-8 glutaral

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- Toxic if swallowed. H301
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- Causes serious eve irritation. H319
- H330 Fatal if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- Very toxic to aquatic life. H400
- Toxic to aquatic life with long lasting effects. H411
- EUH071 Corrosive to the respiratory tract.
- Date of previous version: 10.08.2021
- Version number of previous version: 3
- Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 11)



Page 11/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 10.02.2025 Revision: 10.02.2025

Trade name: Gluma Desensitizer

(Contd. of page 10)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

SVHC: Substances of Very High Concern VPVB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) –

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.