

Page 1/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 15.05.2025 Revision: 15.05.2025

# SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
  - · Trade name: Paladon 65 liquid
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Manufacture of dental prothesis
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
  - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl methacrylate

Tetramethylene dimethacrylate

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection.

P280 Wear protective clothing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)



Page 2/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2025 Version number 4 (replaces version 3) Revision: 15.05.2025

# Trade name: Paladon 65 liquid

· 2.3 Other hazards -

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

(Contd. of page 1)

# SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Product based on methacrylates

· Dangerous components:				
CAS: 80-62-6 EINECS: 201-297-1 Index number: 607-035-00-6	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	>90%		
CAS: 2082-81-7 EINECS: 218-218-1	Tetramethylene dimethacrylate Skin Sens. 1B, H317	≥1-≤5%		
CAS: 99-85-4 EINECS: 202-794-6	p-Mentha-1,4-diene Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 2, H411	<0.25%		

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - · After inhalation Supply fresh air; consult doctor in case of symptoms.
  - After skin contact Instantly wash with water and soap and rinse thoroughly.
  - · After eye contact Rinse opened eye for several minutes under running water.
  - · After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

- 5.1 Extinguishing media
  - Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
  - For safety reasons unsuitable extinguishing agents Water.
- 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
  - · Protective equipment: No special measures required.

(Contd. on page 3)



Page 3/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2025 Version number 4 (replaces version 3) Revision: 15.05.2025

Trade name: Paladon 65 liquid

· Additional information -

(Contd. of page 2)

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Do not flush with water or aqueous cleansing agents

Send for recovery or disposal in suitable containers.

· 6.4 Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

\_

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage
    - · Requirements to be met by storerooms and containers: Store in cool location.
    - Information about storage in one common storage facility: Not required.
    - Further information about storage conditions:

Store cool (not above 25 °C).

Store in cool, dry conditions in well sealed containers.

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

80-62-6 methyl methacrylate

OEL (Ireland) Short-term value: 100 ppm

Long-term value: 50 ppm

IOEĽV, Sens

IOELV (European Union) | Short-term value: 100 ppm

Long-term value: 50 ppm

(Contd. on page 4)



Page 4/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 15.05.2025 Revision: 15.05.2025

Trade name: Paladon 65 liquid

			(Contd. of page
· DNI	-		
80-62-6 m	ethyl methacrylate		
Oral	general population, long	term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long te	rm, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic		8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local		416 mg/m3 (not defined)
	worker industrial, long term, systemic		348.4 mg/m3 (not defined)
	worker industrial, long term, local		208 mg/m3 (not defined)
	general population, acute, local		208 mg/m3 (not defined)
	general population, long term, systemic		74.3 mg/m3 (not defined)
2082-81-7	Tetramethylene dimeth	acrylate	
Oral	general population, long term, systemic		2.5 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic		4.2 mg/Kg/d (not defined)
	general population, long term, systemic		2.5 mg/Kg/d (not defined)
Inhalative	worker professional, long	term, systemic	14.5 mg/m3 (not defined)
	general population, long	term, systemic	4.3 mg/m3 (not defined)
· PNE			
80-62-6 m	ethyl methacrylate		
freshwater		0.94 mg/l (not defined)	
marine water		0.094 mg/l (not defined)	
sewage treatment plant		10 mg/l (not defined)	
sediment, dry weight, freshwater		10.2 mg/Kg (not defined)	
sediment, dry weight, marine water		0.102 mg/Kg (not defined)	
soil, dry weight		1.48 mg/Kg (not defined)	
2082-81-7	Tetramethylene dimeth	acrylate	
freshwater		0.043 mg/l (not defined)	
marine water		0.004 mg/l (not defined)	
sewage treatment plant		2 mg/l (not defined)	
		3.12 mg/Kg (no	,
sediment, dry weight, marine water		0.312 mg/Kg (n	ot defined)
soil, dry weight		0.573 mg/Kg (n	ot defined)

<sup>·</sup> Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
  General protective and hygienic measures
  Keep away from foodstuffs, beverages and food.
  Instantly remove any soiled and impregnated garments.
  Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.

(Contd. on page 5)



Page 5/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2025 Version number 4 (replaces version 3) Revision: 15.05.2025

# Trade name: Paladon 65 liquid

(Contd. of page 4)

· Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- · Eye/face protection Tightly sealed safety glasses.
- · Body protection: Light weight protective clothing

#### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

General Information

· Physical state · Colour:

Smell:

· Odour threshold:

· Melting point/freezing point:

· Boiling point or initial boiling point and

boiling range Flammability

· Lower and upper explosion limit

· Lower: · Upper: · Flash point:

Auto-ignition temperature:

Decomposition temperature:

· SADT · pH Liquid Colourless Ester-like

Not determined.

-48 °C

100.3 °C (80-62-6 methyl methacrylate)

Not applicable.
2.1 Vol %
12.5 Vol %

11.5 °C (80-62-6 methyl methacrylate)

430 °C `

Not determined.

Mixture is non-soluble (in water).

(Contd. on page 6)



Page 6/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 15.05.2025 Revision: 15.05.2025

# Trade name: Paladon 65 liquid

(Contd. of page 5)

· Viscositv:

Kinematic viscosity Not determined.

dynamic at 20 °C: 1 mPas

Solubility

· Water: Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

value) Not determined.

Steam pressure at 20 °C: 47 hPa

Density and/or relative density

0.940 g/cm<sup>3</sup> Density at 20 °C Not determined. · Relative density · Vapour density Not determined.

· 9.2 Other information

No further relevant information available.

· Appearance:

Form: · Important information on protection of health

and environment, and on safety.

Self-inflammability: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of

Fluid

explosive air/vapour mixtures is possible.

· Change in condition

Evaporation rate Not determined.

· Information with regard to physical hazard classes

**Explosives** Void Flammable gases Void Void · Aerosols Oxidising gases
Gases under pressure Void Void

· Flammable liquids Highly flammable liquid and vapour.

· Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit

flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void Corrosive to metals Void · Desensitised explosives Void

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 7)



Page 7/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 15.05.2025 Revision: 15.05.2025

# Trade name: Paladon 65 liquid

(Contd. of page 6)

- · 10.2 Chemical stability
  - Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
  - Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

## SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:				
80-62-6 methyl methacrylate					
Oral	LD50	~7,900 mg/kg (rat)			
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)			
Inhalative	LC50/4 h	29.8 mg/l (rat)			
2082-81-7 Tetramethylene dimethacrylate					
Oral	LD50	10,066 mg/kg (rat) (OECD 401)			
99-85-4 p-Mentha-1,4-diene					
Oral	LD50	>2,000 mg/kg (rat) (OECD 423)			
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)			

- · Primary irritant effect:
  - Skin corrosion/irritation

Causes skin irritation.

- · **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

- May cause an allergic skin reaction.

   Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
  - Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 8)



Page 8/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2025 Version number 4 (replaces version 3) Revision: 15.05.2025

Trade name: Paladon 65 liquid

(Contd. of page 7)

SECTION 12: Ecological information 12.1 Toxicity			
· Aquatic toxicity:			
80-62-6 methyl methacrylate			
EC50/21d	49 mg/L (daphnia) (OECD 211)		
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)		
NOEC / 21d	37 mg/l (daphnia) (OECD 211)		
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)		
NOEC / 72h	110 mg/l (algae) (OECD 201)		
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)		
EbC50 / 72h	>110 mg/l (algae) (OECD 201)		
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)		
LC50/ 35d	33.7 mg/L (fish) (OECD 210)		
2082-81-7 Te	tramethylene dimethacrylate		
EC50/21d	14.1 mg/L (daphnia) (OECD 211)		
EC50/48h	32.5 mg/l (fish)		
NOEC / 21d	5.09 mg/l (daphnia) (OECD 211)		
ErC50 / 72 h	9.79 mg/l (algae) (OECD 201)		
NOEC / 72h	2.11 mg/l (algae) (OECD 201)		
NOEC / 48h	25 mg/l (fish)		
	4.35 mg/L (algae) (OECD 201)		
99-85-4 p-Mentha-1,4-diene			
EC50/72h	>10.82 mg/l (algae) (OECD 201)		
EC50/48h	10.189 mg/l (daphnia) (OECD 202)		
LC50/96h	2.792 mg/l (fish) (OECD 203)		
12.2 Persiste	ence and degradability		
80-62-6 meth	nyl methacrylate		
	on 94 % /14d (not defined) (OECD 301C)		
	tramethylene dimethacrylate		
Biodegradation 84 % /28d (not defined) (OECD 310)			
99-85-4 p-Mentha-1,4-diene			

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
   12.5 Results of PBT and vPvB assessment
   PBT: Not applicable.
- - vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)



Page 9/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2025 Version number 4 (replaces version 3) Revision: 15.05.2025

# Trade name: Paladon 65 liquid

(Contd. of page 8)

#### · 12.7 Other adverse effects

- · Additional ecological information:
  - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

18 01 06\* chemicals consisting of or containing hazardous substances

- · Uncleaned packagings:
  - Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

# SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	UN1247
· 14.2 UN proper shipping name · ADR	1247 METHYL METHACRYLATE MONOMER, STABILIZED solution
· IMDG, IATA	METHYL METHACRYLATE MONOMER, STABILIZED solution

- · 14.3 Transport hazard class(es)
  - · ADR



· Class 3 (F1) Flammable liquids. · Label 3

(Contd. on page 10)



Page 10/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 15.05.2025 Revision: 15.05.2025

Trade name: Paladon 65 liquid

(Contd. of page 9) · IMDG, IATA 3 Flammable liquids. · Class ·Label · 14.4 Packing group · ADR, IMĎĞ, IATA 11 · 14.5 Environmental hazards: Marine pollutant: No · 14.6 Special precautions for user Warning: Flammable liquids. · Kemler Number: 339 EMS Number: F-E,S-D Stowage Category · Stowage Code SW2 Clear of living quarters. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) Code: E2 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category · Tunnel restriction code D/E · IMDG · Limited quantities (LQ) 1L · Excepted quantities (ÉQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN "Model Regulation": UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED SOLUTION, 3, II



Page 11/12

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 15.05.2025 Revision: 15.05.2025

Trade name: Paladon 65 liquid

(Contd. of page 10)

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Directive 2012/18/EU
    - Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
    - Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
  - · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
  - · Regulation (EU) No 649/2012

None of the ingredients are included.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148** 
  - · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

no information available

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

no information available

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H315 Causes skin İrritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

- Date of previous version: 02.08.2022
- · Version number of previous version: 3
- · Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 12)



Page 12/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 4 (replaces version 3) Printing date 15.05.2025 Revision: 15.05.2025

# Trade name: Paladon 65 liquid

(Contd. of page 11)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent

LC50: Letnal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin corrosion/irritation – Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

\* Data compared to the previous version altered.