

Page 1/7

Safety Data Sheet according to WHS Regulations

Printing date 09.07.2018 Version number 1 Revision: 09.07.2018

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
 - · Trade name: dima print Cast
 - · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer Australia Pty Ltd 11 – 21 Underwood Rd HOMEBUSH NSW 2140

Australia Tel: +61 (0) 2 9764 5222

- · Informing department: see above
- · Emergency telephone number:

Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766

2 Hazard(s) Identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
 - GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

· Other hazards -

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.

(Contd. on page 2)



Page 2/7

Safety Data Sheet according to WHS Regulations

Printing date 09.07.2018 Version number 1 Revision: 09.07.2018

Trade name: dima print Cast

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
 - Description: -

· Dangerous components:		
		10-25%
EINECS: 212-782-2	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
CAS: 162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	0-5%
ELINCS: 423-340-5	Skin Sens. 1, H317	

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- Information for doctor
 - · Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
 - · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information -

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Do not breathe vapor / mist / gas.

Avoid contact with eyes and skin.

(Contd. on page 3)



Page 3/7

Safety Data Sheet according to WHS Regulations

Printing date 09.07.2018 Version number 1 Revision: 09.07.2018

Trade name: dima print Cast

(Contd. of page 2)

Environmental precautions: Do not allow product to reach sewage system or water bodies.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues). Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and Storage

· Handling

Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers:

Store in cool, dry place in tightly closed containers.

Protect from the effects of light.

· Information about storage in one common storage facility:

Store away from oxidising agents.

· Further information about storage conditions: None.

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

General protective and hygienic measures
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment: Filter P2.

Protection of hands:

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a (Contd. on page 4)



Page 4/7

Safety Data Sheet according to WHS Regulations

Printing date 09.07.2018 Version number 1 Revision: 09.07.2018

Trade name: dima print Cast

(Contd. of page 3)

preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

• Eye protection: Tightly sealed safety glasses. • Body protection: Light weight protective clothing

O Physical and Chemical Properties

9 Physical and Chemical Properties				
Information on basic physical and chemical properties General Information Appearance:				
Form:	Fluid			
· Colour:	Red			
· Smell:	Ester-like			
Odour threshold:	Not determined.			
· pH-value:	Not determined.			
· Change in condition · Melting point/freezing point: Not determined · Initial boiling point and boiling range: > 200 ℃				
· Flash point:	Not applicable			
· Inflammability (solid, gaseous)	Not applicable.			
Ignition temperature:	375 ℃			
Decomposition temperature:	Not determined.			
Self-inflammability:	Product is not selfigniting.			
Explosive properties:	Product is not explosive.			
Critical values for explosion:Lower:Upper:	Not determined. Not determined.			
· Steam pressure:	Not determined.			
Density Relative density at 20 ℃ Vapour density Evaporation rate	Not determined 1,1 - 1,2 Not determined. Not determined.			
Solubility in / Miscibility with Water:	Not miscible or difficult to mix			
· Partition coefficient: n-octanol/wate	· Partition coefficient: n-octanol/water: Not determined.			
Viscosity: dynamic at 20 ℃: kinematic:	1,0 -1,4 Pas Not determined.			

(Contd. on page 5)



Page 5/7

Safety Data Sheet according to WHS Regulations

Printing date 09.07.2018 Version number 1 Revision: 09.07.2018

Trade name: dima print Cast

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
 - · Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid Heat, flames and sparks.
- · Incompatible materials:

Radical initiator

Strong oxidizers

- · Hazardous decomposition products: None
- Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

11 Toxicological Information

- Information on toxicological effects
 - · Acute toxicity
 - LD/LC50 values that are relevant for classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 5564 mg/kg (rat)
Dermal LD50 >3000 mg/kg (can)

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Oral LD50 > 2000 mg/kg (rat)

- Primary irritant effect:
 - · Skin corrosion/irritation Irritant for skin and mucous membranes.
 - · Serious eye damage/irritation Irritant effect.
- · Respiratory or skin sensitisation Sensitization possible by skin contact.

12 Ecological Information

- · Toxicity
 - · Aquatic toxicity:

868-77-9 2-hydroxyethyl methacrylate

LC50/96h | 227 mg/l (fish)

162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

EC50/72h > 0.26 mg/l (algae) (OECD 201)

EC50/48h > 1.175 mg/l (daphnia) (OECD 202)

LC50/96h | >0.09 mg/l (fish) (OESO 203)

- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.

(Contd. on page 6)



Page 6/7

Safety Data Sheet according to WHS Regulations

Printing date 09.07.2018 Version number 1 Revision: 09.07.2018

Trade name: dima print Cast

· Other adverse effects No further relevant information available.

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · ADG, ADN, IMDG, IATA	Void	
UN proper shipping name ADG, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADG, ADN, IMDG, IATA · Class	Void	
· Packing group · ADG, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labelling:
 2-hydroxyethyl methacrylate
 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

(Contd. on page 7)



Page 7/7

Safety Data Sheet according to WHS Regulations

Printing date 09.07.2018 Version number 1 Revision: 09.07.2018

Trade name: dima print Cast

(Contd. of page 6)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

- Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IMDG. International Maritime Code for Darigerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation — Category 2A Skin Sens. 1: Skin sensitisation — Category 1

* Data compared to the previous version altered.

AUS