

Page 1/8

#### Safety Data Sheet acc. to OSHA HCS

Printing date 11/22/2022 Reviewed on 11/22/2022

#### 1 Identification

- · Product identifier
  - · Trade name: dima Print Splint clear

- · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522

· Information department:

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com

Emergency telephone number:

Emergency CONTACT (24-Hour-Number) ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

### 2 Hazard(s) identification

Classification of the substance or mixture

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- · Label elements
  - GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing mist/vapours/spray.

Wear protective gloves / eye protection.

If on skin: Wash with plenty of soap and water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)



Page 2/8

#### Safety Data Sheet acc. to OSHA HCS

Printing date 11/22/2022 Reviewed on 11/22/2022

# Trade name: dima Print Splint clear

(Contd. of page 1)

· Classification system

NFPA ratings for USA (scale 0-4)



· HMIS-Ratings (Scale 0-4)



Health = 2Fire = 1

- Results of PBT and vPvB assessment
  - · PBT: Not applicable. vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
  - Description: -

Descripin	)II			
· Dangerous components:				
	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid  Skin Irritation 2, H315: Eye Irritation 24, H319: Sensitization - Skin 1, H317:	>90%		
	Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335			
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	<i>≥1-≤</i> 5%		
	Sensitization - Skin 1, H317			

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- · Description of first aid measures
  - After inhalation Supply fresh air; consult doctor in case of complaints.
  - After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor
  - Most important symptoms and effects, both acute and delayed Allergic reactions
  - Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- Extinguishing media
  - Suitable extinguishing agents

CO2. Do not use water.

(Contd. on page 3)



Page 3/8

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/22/2022 Reviewed on 11/22/2022

# Trade name: dima Print Splint clear

(Contd. of page 2)

Use fire fighting measures that suit the environment.

For safety reasons unsuitable extinguishing agents Water spray. Water.

· Special hazards arising from the substance or mixture

In case of fire the following can be released:

Carbon dioxide (CO2)

Carbon monoxide (CO)

· Advice for firefighter's

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information -

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Do not breathe vapor / mist / gas.

Avoid contact with eyes and skin.

Ensure adequate ventilation

- · Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

# 7 Handling and storage

· Handling

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with eyes and skin.

Keep away from heat and direct sunlight.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by storerooms and receptacles:

Store in cool, dry place in tightly closed receptacles.

(Contd. on page 4)



Page 4/8

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/22/2022 Reviewed on 11/22/2022

# Trade name: dima Print Splint clear

(Contd. of page 3)

Protect from exposure to the light.

- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Control parameters
  - Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
  - Personal protective equipment
    - General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not necessary if room is well-ventilated.

Filter P2.

· Protection of hands:

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

· Eve protection: Tightly sealed goggles.

· Body protection: Light weight protective clothing

#### 9 Physical and chemical properties

- Information on basic physical and chemical properties
   General Information
  - · Appearance:

· Form: Fluid · Color: Fluid

(Contd. on page 5)



Page 5/8

### Safety Data Sheet acc. to OSHA HCS

Printing date 11/22/2022 Reviewed on 11/22/2022

# Trade name: dima Print Splint clear

	(Contd. of page			
· Odor:	Ester-like			
Odor threshold:	Not determined.			
· pH-value:	Not determined.			
· Change in condition				
Melting point/Melting range:	undetermined			
· Boiling point/Boiling range:	undetermined			
· Flash point:	211 °C (411.8 °F)			
Flammability (solid, gaseous)	Not applicable.			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
·Lower:	Not determined.			
· Upper:	Not determined.			
· Vapor pressure:	Not determined.			
· Density at 20 °C (68 °F):	1.1 g/cm³ (9.1795 lbs/gal)			
· Relative density	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
· Water:	Not miscible or difficult to mix			
· Partition coefficient (n-octanol/water): Not determined.				
Viscosity:				
· dynamic at 20 °C (68 °F):	0.4-1.5 mPas			
· kinematic:	Not determined.			
Solvent content:				
· Solids content:	0.0 %			
· Other information	No further relevant information available.			

# 10 Stability and reactivity

- Reactivity No further relevant information available.
  Possibility of hazardous reactions Polymerization
  Conditions to avoid Heat, flames and sparks.
  Incompatible materials: No further relevant information available.
  Hazardous decomposition products: none
  Additional information:



Page 6/8

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/22/2022 Reviewed on 11/22/2022

# Trade name: dima Print Splint clear

(Contd. of page 5)

# 11 Toxicological information

- · Information on toxicological effects
  - · Acute toxicity:
    - · LD/LC50 values that are relevant for classification:

# 41637-38-1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid

Oral LD50 >2000 mg/kg /read-acro (rat) (OECD 423)

Dermal LD50 >2000 mg/kg (rat) (OECD 402)

- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:
  - Carcinogenic categories
    - IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Reproductive toxicity Based on available data, the classification criteria are not met.

#### 12 Ecological information

· Toxicity

_	roxioity				
	· Aquatic toxicity:				
	41637-38-1 Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2 methylprop-2-enoic acid				
	LL50/96h	100 mg/L (fish)			
	EL50/48h	6 mg/L (daphnia) (OECD 202)			
	EL50/72h	100 mg/L (algae) (OECD 201)			
	162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide				
	EC50/72h	>0.26 mg/l (algae) (OECD 201)			
	EC50/48h	>1.175 mg/l (daphnia) (OECD 202)			
	LC50/96h	>0.09 mg/l (fish) (OESO 203)			

- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
  - · Bioaccumulative potential No further relevant information available.
  - · Mobility in soil No further relevant information available.
- · Additional ecological information:
  - General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
  - · PBT: Not applicable.
  - vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

US



Page 7/8

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/22/2022 Reviewed on 11/22/2022

Trade name: dima Print Splint clear

(Contd. of page 6)

### 13 Disposal considerations

- · Waste treatment methods
  - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
  - · Recommendation: Disposal must be made according to official regulations.

14 Transport information			
UN-Number DOT, ADR, ADN, IMDG, IATA	Void		
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void		
· Transport hazard class(es)			
DOT, ADR, ADN, IMDG, IATA Class	Void		
Packing group DOT, ADR, IMDG, IATA	Void		
· Environmental hazards:	Not applicable.		
· Special precautions for user	Not applicable.		
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			
· Transport/Additional information:	-		
· UN "Model Regulation":	Void		

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
  - · Sara
    - · SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

· Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
  - Prop 65 Chemicals known to cause cancer

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 8)



Page 8/8

#### Safety Data Sheet acc. to OSHA HCS

Printing date 11/22/2022 Reviewed on 11/22/2022

# Trade name: dima Print Splint clear

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Date of preparation / last revision 11/22/2022

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.